SUBJECT INDEX

Absorbed moisture, p. 1026
Acoustic emission, pp. 447, 850, 1170
Activation energy, p. 966
Aging, accelerated, p. 829
Aluminum–aluminum fiber matrix, p. 386
Anisotropic plate, pp. 1060, 1080
Aramid/Epoxy, p. 955
Bending response, p. 955
BET surface areas, p. 966
Boundary conditions, p. 53
Boundary Element Method, p. 694
Buckling, p. 502
Buckling, torsional, p. 258
Calcium carbonate formation, p. 742
Cantilever plate, p. 640
Carbon/epoxy, p. 749
Carbon fibers, p. 1131
Celion 6000, p. 966
Clamping analysis, p. 136
Composite,
  Al-SiC reinforced, p. 102
  crack arrestor, p. 427
  damage detection, p. 447
  effect of cure, p. 427
  E-glass/polyester, p. 427
  non-destructive evaluation, p. 447
  particle reinforced, p. 986
Composite laminates, pp. 373, 812, 1080
Composite materials, p. 30
  particulate reinforced, p. 136
  tension test, p. 766
  theory vs. experiment, p. 396
Composite panels, p. 416
Composite parameters, p. 917
Composite polymers, p. 986
Composite shells, orthotropic, p. 1102
Composites, p. 966
Composites,
  BMC, p. 1170
  fiber reinforced, pp. 287, 818, 874
  filament wound, p. 81
  metal matrix, p. 829
  multifastener Joint, p. 124
  prestressed, p. 780
  short fiber, p. 484
  stainless/ABS plastic, p. 360
  thermoplastic-matrix, pp. 401, 850
  thermoset resin, p. 2
  transverse isotropic, p. 224
  unidirectional, p. 561
Computer simulation, p. 935
Constitutive relations, pp. 306, 1004
Contour plot, p. 935
Coupling, p. 1045
Crack,
  arrestor, p. 427
  curved matrix, p. 71
  length determination, p. 459
  model, p. 306
  propagation, p. 154
Cracking,
  of composite plates, p. 518
  transverse, p. 900
Creep, p. 102
Cure shrinkage, p. 986
Cure temperature modifiers, p. 177
Curing, electrothermal, p. 81
Cylindrical bending, p. 1045
Damage, p. 1170
Damage,
  characteristics, p. 657
  mechanisms, p. 1026
  tolerance, pp. 30, 258, 749
Delamination,
  buckling, p. 502
  energy release rate, p. 502
  impact induced, pp. 518, 533, 674
  quadratic, p. 1141
Effective modulus, p. 1004
Elastic constants, p. 629
Elliptical openings, pp. 322, 373, 1080
Euler-Bernoulli beam theory, p. 717
Extension-shear coupling, p. 766
Fabrication, p. 1004
Failure, p. 1141

SUBJECT INDEX

Absorbed moisture, p. 1026
Acoustic emission, pp. 447, 850, 1170
Activation energy, p. 966
Aging, accelerated, p. 829
Aluminum–aluminum fiber matrix, p. 386
Anisotropic plate, pp. 1060, 1080
Aramid/Epoxy, p. 955
Bending response, p. 955
BET surface areas, p. 966
Boundary conditions, p. 53
Boundary Element Method, p. 694
Buckling, p. 502
Buckling, torsional, p. 258
Calcium carbonate formation, p. 742
Cantilever plate, p. 640
Carbon/epoxy, p. 749
Carbon fibers, p. 1131
Celion 6000, p. 966
Clamping analysis, p. 136
Composite,
  Al-SiC reinforced, p. 102
  crack arrestor, p. 427
  damage detection, p. 447
  effect of cure, p. 427
  E-glass/polyester, p. 427
  non-destructive evaluation, p. 447
  particle reinforced, p. 986
Composite laminates, pp. 373, 812, 1080
Composite materials, p. 30
  particulate reinforced, p. 136
  tension test, p. 766
  theory vs. experiment, p. 396
Composite panels, p. 416
Composite parameters, p. 917
Composite polymers, p. 986
Composite shells, orthotropic, p. 1102
Composites, p. 966
Composites,
  BMC, p. 1170
  fiber reinforced, pp. 287, 818, 874
  filament wound, p. 81
  metal matrix, p. 829
  multifastener Joint, p. 124
  prestressed, p. 780
  short fiber, p. 484
  stainless/ABS plastic, p. 360
  thermoplastic-matrix, pp. 401, 850
  thermoset resin, p. 2
  transverse isotropic, p. 224
  unidirectional, p. 561
Computer simulation, p. 935
Constitutive relations, pp. 306, 1004
Contour plot, p. 935
Coupling, p. 1045
Crack,
  arrestor, p. 427
  curved matrix, p. 71
  length determination, p. 459
  model, p. 306
  propagation, p. 154
Cracking,
  of composite plates, p. 518
  transverse, p. 900
Creep, p. 102
Cure shrinkage, p. 986
Cure temperature modifiers, p. 177
Curing, electrothermal, p. 81
Cylindrical bending, p. 1045
Damage, p. 1170
Damage,
  characteristics, p. 657
  mechanisms, p. 1026
  tolerance, pp. 30, 258, 749
Delamination,
  buckling, p. 502
  energy release rate, p. 502
  impact induced, pp. 518, 533, 674
  quadratic, p. 1141
Effective modulus, p. 1004
Elastic constants, p. 629
Elliptical openings, pp. 322, 373, 1080
Euler-Bernoulli beam theory, p. 717
Extension-shear coupling, p. 766
Fabrication, p. 1004
Failure, p. 1141

compressive, p. 245
mechanisms, p. 874
rate, p. 1131
simultaneous laminar, p. 271
strength, p. 271
Yamada-Sun criterion, p. 373
Fatigue fracture, p. 459
Fatigue loading, pp. 459, 657
Fiberite 976, pp. 2, 15
Fibers,
brittle, p. 1131
effective thickness, p. 794
magnetic orientation, p. 484
small diameter, p. 850
Finite element analysis, pp. 53, 124, 341, 986, 1060
Finite width correction factor, p. 1080
Flexible components, nonlinear elastic behavior, p. 1004
Fracture behaviour, pp. 427, 502, 1141
Fracture mechanics, pp. 561, 850, 900, 917, 1170
Fracture Model, shear lag, pp. 561, 589
Fracture toughness, p. 322
Glass/epoxy, p. 674
Glass fiber/polymers, p. 794
Glass/polyester, p. 427
Graphite/epoxy, pp. 2, 15, 53, 136, 204, 271, 459, 518, 589, 602, 657, 674, 1116, 1141, 1156
Graphite/epoxy laminates, pp. 322, 629
Graphite/epoxy shafts, p. 258
Graphite fibers, pp. 484, 966
Graphite/PEEK, p. 459
Graphite/polyimide, p. 459
Graphite/polymer, p. 742
Hashin-Shtrikman theory, p. 396
Impact testing, p. 30
Inertia, rotatory, p. 341
Interfacial reactions, p. 966
Iso-phase model, p. 1004
Joints, multifastener bolted, p. 102
Kevlar/epoxy, pp. 245, 674, 955, 1026
Kirchoff theory, pp. 640, 694
Laminated plate, p. 341
Laminates, p. 900
angle ply, p. 53
crossply, pp. 71, 136
graphite/epoxy, pp. 136, 322, 401, 629
multidirectional, p. 322
prestressed, p. 780
thick, p. 629
wavy-layer, p. 717
Large deflection, p. 1045
Likelihood, maximum, p. 1131
Load distribution, p. 124
Materials joints, p. 917
Mathematical model,
elasticity solution, p. 306
Maxwell-Eucken, p. 616
Scarisbrick, p. 616
Mechanical compatibility, p. 917
Mechanical properties, pp. 416, 850
Metal/ceramic joints, p. 917
Metal matrix composite, stainless/ABS plastic, p. 360
Metal-metal fiber matrix, p. 386
Microcomputer, p. 1060
Microspallation, p. 1026
Modeling conditions, p. 794
Moisture absorption characteristics, p. 2
Newtonian viscous behavior, p. 102
Non-destructive evaluation, pp. 287, 447
Nonlinear behaviour, p. 955
Notched strength, p. 1080
Orthotropic plate, p. 1080
Photoelastic study of load transfer, pp. 602, 1004
Plane stress, p. 1060
Plate bending, anisotropic, p. 694
Plate buckling mode, p. 935
Plate vibration mode, p. 935
Poisson flaw model, p. 1131
Poisson's ratio, thickness, p. 629
Polyethylene, sand filled, p. 616
Polyimide matrix, p. 966
Polymer concrete, p. 986
Prepreg lay-up, p. 204
Pressure vessels, laminated, p. 1156
Random phase model, p. 1004
Rayleigh-Ritz energy method, pp. 640, 1170
Rayleigh waves, p. 154
Refractory mortars, p. 177
Reinforcement, whisker, p. 102
Ritz solution, p. 1116
Setting stress, p. 986
Shear deformation, pp. 136, 341
Shear modulus, p. 742
Spherical shells, orthotropic, p. 1116
Stiffness loss, p. 71

Stiffness mismatching, p. 674
Strain,
  generalized plain, p. 306
  pseudo, p. 717
Strain energy release rate, p. 640
Strength,
  compressive, pp. 245, 749
  flexural in seawater, p. 742
  residual, p. 401
  tensile notch, p. 386
  tensile residual, p. 749
  unnotched ultimate, p. 322
Strength distributions, p. 1131
Stress,
  impact induced, p. 533
  interlaminar, p. 192
  internal, p. 102
  parabolic, p. 1060
  residual, 401
  thermal, p. 53
  three-dimensional, p. 53
Stress analysis, pp. 136, 373
Stress analysis of singular points, p. 224
Stress analysis, three-dimensional, p. 533
Stress birefringence, p. 602
Stress concentrations, p. 1080
Stress criterion, p. 1141
Stress fracture, p. 322
Stress model, Whitney-Nuismer, p. 386
Superplasticity, p. 102
Surface smoothness, p. 794
Tensile test, p. 1004
Tension test of composites, p. 766
Tensor transformation, p. 874
Testing, in situ, p. 416
Thermal conductivity, pp. 177, 616
Thermal degradation, p. 1026
Thermal expansion, p. 812
Thermo-oxidative stability, p. 966
Thermoplastic matrix, p. 30
Tsai-Wu failure criterion, pp. 271, 1156
Unsymmetric laminates, p. 1045
van der Pauw resistivity method, p. 360
Vibration, transient, p. 1045
Wave propagation in composites, p. 287
Young's modulus, effective, p. 717

AUTHOR INDEX

Adams, D. F., p. 749
Akin, J. E., p. 986
Allen, D. H., p. 71
Armeniades, C. D., p. 986
Ashbee, E., p. 602
Ashbee, K. H. G., p. 602
Baer, E., p. 1170
Bauchau, O. A., p. 258
Berreth, S. P., p. 766
Bezine, G., p. 694
Bishop, S. M., p. 657
Bonhomme, L., p. 204
Boriek, A. M., p. 986
Boss, C. S., p. 812
Bourell, D. L., p. 829
Bowles, K. J., p. 966
Brewer, J. C., p. 1141
Burwasser, J. T., p. 81
Carlsson, L. A., p. 459
Chao, C. C., p. 1116
Chen, A. T., p. 341
Chern, Y. C., p. 1116
Chin, H., p. 1045
Chou, T.-W., pp. 271, 1004, 1056
Christensen, R. M., p. 874
Collister, J., p. 1170
Cordell, T. M., p. 30
Davidson, B. D., p. 640
Demakos, C. B., p. 154
Divecha, A. P., p. 102
Doyle, J. F., p. 416
Dupuis, C. W., p. 427
Durham, S. D., p. 1131
Dutta, I., p. 829
Elssner, G., p. 917
Faudree, M., p. 1170
Fukunaga, H., pp. 271, 1156
Gillespie, J. W., Jr., p. 459
Griffen, O. H., Jr., p. 53
Groves, S. E., p. 71
Gutowski, T. G., p. 204
Han, Y., p. 124
Harris, C. E., pp. 71, 717
Hartness, J. T., p. 30

Hatta, H., p. 484
Hayes, J. F., p. 258
Hiltner, A., p. 1170
Hmurcik, L. V., p. 360
Hong, S. H., p. 102
Jeronimidas, G., p. 401
Jin, Y., p. 224
Jozavi, H., 427
Kamigaito, O., pp. 447, 850
Karmarkar, S. D., p. 102
Kellas, S., p. 657
Kia, H. G., p. 794
Kinsler, M. R., p. 360
Kline, R. A., p. 287
Ko, C.-C., p. 373
Kong, F.-M., p. 1026
Krafchack, T. M., p. 258
Kuo, C.-M., p. 1004
Kurauchi, T., pp. 447, 850
Lagace, P. A., p. 1141
Latimer, D., p. 829
Laws, N., pp. 396, 900
Lee, D. G., p. 1102
Lee, J.-W., p. 717
Lee, S.-Y., p. 15
Lapper, J. K., p. 1026
Li, S., p. 629
Lin, C.-C., p. 373
Liu, D., p. 674
Lynch, J. D., p. 1131
MacDonald, R. A., p. 102
Manero, O., p. 616
Morgan, R. J., p. 1026
Morton, J., p. 657
Murthy, P. L. N., p. 136
Nairn, J. A., pp. 561, 589
Norrell, R. G., p. 71
Novinson, T., p. 177
Nowak, G., p. 966
Nuismer, R. J., p. 306
Nunes, J., p. 386
Padgett, W. J., p. 1131
Padilla, A., p. 616
Pao, Y. C., p. 935
Parkyn, A. T., p. 401
Peterson, K. A., p. 935
Poppendiek, H. F., p. 177
Reedy, E. D., Jr., p. 955
Rehfield, L. W., p. 136
Springer, G. S., pp. 2, 15, 81, 518, 533
Steif, P. S., p. 818
Suga, T., p. 917
Sun, C. T., pp. 629, 766, 1045
Takahashi, K., p. 1004
Tan, S. C., pp. 306, 322, 1080
Tang, J., p. 2
Teply, J. L., p. 245
Theocaris, P. S., p. 154
Ting, T. C. T., p. 224
Tretheway, B. R., p. 459
Tsangarakis, N., p. 386
Tucker, W. C., p. 742
Tuttle, M. E., p. 780
Sancaktar, E., p. 427
Sanchez-Solis, A., p. 616
Sato, N., pp. 447, 850
Sato, S., p. 850
Schapery, R. A., p. 640
Schmauder, S., p. 917
Sherby, O. D., p. 102
Shi, G., p. 694
Sjöblom, P. O., p. 30
Slepetz, J. M., p. 386
Ueng, C. E. S., p. 192
Valisetty, R. R., p. 136
Wang, S., p. 124
Wanthal, S. P., p. 1060
Wetherhold, R. C., p. 812
Wu, H. T., pp. 518, 533
Wyrick, D. A., p. 749
Yamashita, S., p. 484
Yang, T. Y., pp. 341, 1060
Yeh, J. R., p. 245
Yin, W.-L., p. 502
Zhang, K., p. 192